



Home | Login | Logout | Access Information | Alerts |
Welcome United States Patent and Trademark Office

Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "(hash<in>metadata) <and> (authentication<in>metadata) <and> (web<...>"
Your search matched 5 of 1322957 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.

» Search Options

[View Session History](#)
[New Search](#)

Modify Search

((hash<in>metadata) <and> (authentication<in>metadata) <and> (web<...>

Check to search only within this results set

Display Format: Citation Citation & Abstract

[Select All](#) [Deselect All](#)

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

- 1. **IPSec overhead in wireline and wireless networks for Web and email appl**
Hadjichristofi, G.C.; Davis, N.J., IV; Midkiff, S.F.;
Performance, Computing, and Communications Conference, 2003. Conference
the 2003 IEEE International
9-11 April 2003 Page(s):543 - 547

[AbstractPlus](#) | Full Text: [PDF\(527 KB\)](#) [IEEE CNF Rights and Permissions](#)

- 2. **Selective and authentic third-party distribution of XML documents**
Bertino, E.; Carminati, B.; Ferrari, E.; Thuraisingham, B.; Amar Gupta;
Knowledge and Data Engineering, IEEE Transactions on
Volume 16, Issue 10, Oct. 2004 Page(s):1263 - 1278
Digital Object Identifier 10.1109/TKDE.2004.63

[AbstractPlus](#) | [References](#) | Full Text: [PDF\(1256 KB\)](#) [IEEE JNL Rights and Permissions](#)

- 3. **Data Security Implementation for Real Time Internet Packet Traces**
Anantha Narasimhan, S.; Sundaram, P.V.; Aswin Kumar, R.;
INDICON, 2005 Annual IEEE
11-13 Dec. 2005 Page(s):561 - 564

[AbstractPlus](#) | Full Text: [PDF\(800 KB\)](#) [IEEE CNF Rights and Permissions](#)

- 4. **A software infrastructure for authenticated Web metering**
Blundo, C.; Cimato, S.;
Computer

Volume 37, Issue 4, April 2004 Page(s):28 - 33
Digital Object Identifier 10.1109/MC.2004.1297298

[AbstractPlus](#) | Full Text: [PDF\(530 KB\)](#) [IEEE JNL Rights and Permissions](#)


- 5. **A common password method for protection of multiple accounts**
Luo, H.; Henry, P.;
Personal, Indoor and Mobile Radio Communications, 2003. PIMRC 2003. 14th Proceedings on

Volume 3, 7-10 Sept. 2003 Page(s):2749 - 2754 vol.3
Digital Object Identifier 10.1109/PIMRC.2003.1259242

[AbstractPlus](#) | Full Text: [PDF\(561 KB\)](#) | [IEEE CNF](#)
[Rights and Permissions](#)



[Help](#) | [Contact Us](#) | [Privacy & Terms](#)
© Copyright 2006 IEEE -

**Web**

Results 1 - 10 of about 859,000 for hash value internet url authentication. (0.40 seconds)

Digest Authentication: Using .htaccess files - From Apache: The ...

The advantage of using the **hash value** is that the password itself is not sent to the server, ... URL: <http://webreference.com/internet/apache/chap5/3/> www.webreference.com/internet/apache/chap5/3/index.html - 33k - Cached - Similar pages

Title Index

... Algorithms and Identifiers for the Internet X.509 Public Key ... Beyond Document Similarity: Understanding Value-Based Search and Browsing Technologies ... dret.net/biblio/titles - 101k - Cached - Similar pages

Title Index

... IANA Allocation Guidelines For Values In the Internet Protocol and Related Headers ... Wrapping a Hashed Message Authentication Code (HMAC) key with a ... dret.net/rfc-index/titles - 1262k - Cached - Similar pages

Mediated Digest Authentication

It provides a 128 bit **hash value** for any sequence of octets. ... Internet Draft: <URL: <http://ds.internic.net/internet-drafts/> ... www.w3.org/People/Raggett/security/Authentication.html - 27k - Cached - Similar pages

Macromedia - Dreamweaver TechNote : WWW authentication methods ...

WWW authentication methods with Microsoft Internet Information Server (IIS) ... A **hash value** is a number derived from a text message, such as a password. ... www.macromedia.com/cfusion/knowledgebase/index.cfm?id=tn_19078 - 20k - Cached - Similar pages

Digest authentication and Advanced Digest authentication in ...

Digest authentication is used with Microsoft Internet Information Services (IIS) ... The user name and password cannot be deciphered from the **hash value**. ... support.microsoft.com/?id=824032 - Similar pages

ASP.NET.4GuysFromRolla.com: Passing Tamper-Proof QueryString ...

"How about using tamper-proof URLs for passing authentication across sites. ... since the input parameter and **hash value** matched up, but clearly the URL has ... aspnet.4guysfromrolla.com/articles/083105-1.aspx - 73k - Cached - Similar pages

Glossary: WAS v5.1

A mechanism for message authentication that uses cryptographic hash functions. ... A **hash value** or a string of bits resulting from the conversion of ... www.skywayradio.com/tech/WAS51/glossary.html - 67k - Cached - Similar pages

Crypto-Gram: February 15, 2001

Most Internet users have no idea what a URL is supposed to look like, let alone how to parse one. ... Internet Voting vs. Large-Value e-Commerce ... www.schneier.com/crypto-gram-0102.html - 60k - Cached - Similar pages

Securing an ASP.NET application

What is hashing? Hash algorithms map binary values of an arbitrary length to small ... Net URL authentication kicks in - ASP.Net checks to see if a valid ...

www.dotnetjohn.com/articles.aspx?articleid=19 - 50k - [Cached](#) - [Similar pages](#)

Try your search again on [Google Book Search](#)

Gooooooooogle ►
Result Page: 1 [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

Info when you want it, right on your desktop
Free! [Download Google Desktop](#)



[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google